





Johnson HARDWARE®

Engineered Excellence

- Bifold Hardware
- Multi-Fold Hardware
- Wall Mount Sliding Hardware
- Pocket Door Hardware
- Sliding Bypass Hardware
- Multi-Door Sliding Hardware


PARTS LIST

JOHNSON HARDWARE

Manufacturing World Class Door Hardware Since 1958

PL-0112 **January 1, 2012**

For orders call: 800-348-7616
For information call: 800-837-5664
To order by Fax: 800-837-4697
Fax: 574-294-4697
e-mail: sales@johnsonhardware.com
Web Site: www.johnsonhardware.com



L.E. Johnson Products, Inc.
2100 Sterling Avenue
Elkhart, IN 46516

Bifold Hardware

200FD 3
100FD 3
111FD 4
170A 4
1700 5
1718/1738/1734 5
1825 6
1838 6
1601 7

Multi-Fold Hardware

200RD 7
100RD 8
1740 8
1700RD 8

Wall Mounted Hardware

200WM 9
2610F/2610FB 9

Pocket Door Hardware

2000 10
2060 10
1500 11
1560 12
2710 12
2711 13
2511 13
1510/1511 14
1521/1534 14
200PD 15
100PD 15
111PD 16
2800F 16
2800/2850 17

Closet Rods

9000/9500 17

Sliding Bypass Hardware

200SD 18
100SD 18
111SD 19
138F 19
134F 20
118F 20
2200F 21
2204F 21
2222 22
2200 22
1166 23
1138 23
113F 23

Multiple-Door Hardware

200MD 24
100MD 24
111MD 24

Door Display/Table Legs

Door Display 25
7700 25
7800 25
88ADJ 25
88TEL 25
8800 25


Bulk Items and Retail Packs

Bulk Track 26
Merchandisers 27
Retail Bubble Packs 28
Bulk Parts 29-32

Policy Information 32

200FD Surface Mounted Bifold Hardware for 1⅛" to 1¾" Thick Panels to 125 lbs.

ORDERING DATA



200FD

Item No.	Opening Size	Lbs/Case Qty.
200FD482	48" 2 Door	Bulk only-5/Case
200FD602	60" 2 Door	Bulk only-5/Case
200FD722	72" 2 Door	6/1
200FD962	96" 2 Door	8/1
200FD484	48" 4 Door	Bulk only-5/Case
200FD604	60" 4 Door	Bulk only-5/Case
200FD724	72" 4 Door	Bulk only-5/Case
200FD964	96" 4 Door	Bulk only-5/Case
2003	3.5x3.5 Hinge	9/10

2 Door Components

Qty	Part #
1	200 Track
1	2010 Pivot Lock
1	2001 Pivot
1	2011 Piv Socket
1	2007 Bot Piv
1	2002 Hanger
1	37 Knob
1	1712 Wrench
1/2	1808 Aligner

4 Door Components

Qty	Part #
1	200 Track
2	2010 Pivot Lock
2	2001 Pivot
2	2011 Piv Socket
2	2007 Bot Piv
2	2002 Hanger
2	37 Knob
1	1712 Wrench
1	1808 Aligner




Available in:
Bright Brass
Satin Nickel
Antique Brass

2003 Ball Bearing Hinge




4 Door Hardware Set Shown Below



A premium commercial bifold hardware set for 12"-48" panels up to 9'0" high. Heavy duty I-beam track with positive pivot lock, top hung, four wheel (1" dia.) ball bearing hangers, heavy duty bottom pivot, floor bracket with screw adjusting bottom pivot socket. Brass-tone steel parts. Hinges not included, order #2003 Hinges separately.

100FD Top Mounted Bifold Hardware for 1" to 1¾" Thick Panels to 75 lbs.

ORDERING DATA



100FD

Item No.	Opening Size	Lbs/Case Qty
100FD362	36" 2 Door	15/5
100FD484	48" 4 Door	25/5
100FD604	60" 4 Door	26/5
100FD724	72" 4 Door	27/5
100FD964	96" 4 Door	21/3

Bulk 25 per Case

2 Door Components

Qty	Part #
1	100 Track
1	1155 Track Stop
1	107 Piv-Set
1	1011 Piv Socket
1	1706 Bot Piv
3	1606 Hinges
1	33 Knob
1	1125 Hanger
1	1712 Wrench
1/2	1808 Aligner

4 Door Components

Qty	Part #
1	100 Track
2	1155 Track Stop
2	107 Piv-Set
2	1011 Piv Socket
2	1706 Bot Piv
6	1606 Hinges
2	33 Knob
2	1125 Hanger
1	1712 Wrench
1	1808 Aligner




4 Door Hardware Set Shown



An excellent commercial bifold hardware set for 12"-24" panels up to 9' high weighing 75 lbs. each. Convex rail aluminum track with positive pivot lock, top hung, three wheel (1" dia.) ball bearing hangers, non-mortise lift off hinges. Floor bracket has a screw adjusting bottom pivot socket. Brass-tone steel parts.

111FD Top Mounted Bifold Hardware for ¾" to 1¾" Thick Panels to 50 lbs.

ORDERING DATA



111FD

Item No.	Opening Size	Lbs/Case Qty
111FD362	36" 2 Door	11/5
111FD484	48" 4 Door	18/5
111FD604	60" 4 Door	19/5
111FD724	72" 4 Door	20/5
111FD964	96" 4 Door	16/3

Bulk 25 per Case

2 Door Components

Qty	Part #
1	111 Track
1	1155 Track Stop
1	118 Piv-Set
1	1711 Jamb Brkt
1	1707 Bot Piv
3	1703 Hinges
1	33 Knob
1	1020 Hanger
1	1712 Wrench
1/2	1808 Aligner

4 Door Components

Qty	Part #
1	111 Track
2	1155 Track Stop
2	118 Piv-Set
2	1711 Jamb Brkt
2	1707 Bot Piv
6	1703 Hinges
2	33 Knob
2	1020 Hanger
1	1712 Wrench
1	1808 Aligner

A superior light commercial bifold hardware set for 12"-24" panels up to 9' high weighing 50 lbs. each. Convex rail aluminum track with positive pivot lock, top hung, three wheel (3/4" dia.) hangers, four-way adjustable jamb bracket, shock absorbing "breathing" hinges self locate and automatically align to door. Brass-tone steel parts.




4 Door Hardware Set Shown



170A Top Mounted Bifold Hardware for ¾" to 1¾" Thick Panels to 40 lbs.

ORDERING DATA



170A

Item No.	Opening Size	Lbs/Case Qty
170A243H	24" 2 Door	9/5
170A303H	30" 2 Door	10/5
170A363H	36" 2 Door	11/5
170A486H	48" 4 Door	17/5
170A606H	60" 4 Door	18/5
170A726H	72" 4 Door	20/5
170A966H	96" 4 Door	23/5

Bulk 25 per Case

2 Door Components

Qty	Part #
1	170A Track
1	1710 Pivot Lock
1	1713 Snubber
1	1701 Top Pivot
1	1711 Jamb Brkt
1	1707 Bot Piv
3	1703 Hinges
1	33 Knob
1	1705 Top Guide
1	1712 Wrench

4 Door Components

Qty	Part #
1	170A Track
2	1710 Pivot Lock
2	1701 Top Pivot
2	1713 Snubber
2	1711 Jamb Brkt
2	1707 Bot Piv
6	1703 Hinges
2	33 Knob
2	1705 Top Guide
1	1712 Wrench
1	1808 Aligner

A premium residential bifold hardware set. Top hung hardware allows doors to hang naturally. Automatic top of the door spacing eliminates gaps. Smooth nonbinding operation. Heavy duty aluminum track with positive pivot lock. Surface mounted pivots and guides (no hole drilling). Four way adjustable jamb bracket, shock absorbing "breathing" hinges self locate and automatically align to door. Brasstone steel parts.




4 Door Hardware Set Shown



1700 Top Mounted Bifold Hardware for ¾" to 1¾" Thick Panels to 40 lbs.

ORDERING DATA



Item No.	Opening Size	Lbs/Case Qty
1700243H	24" 2 Door	9/5
1700303H	30" 2 Door	10/5
1700363H	36" 2 Door	11/5
1700486H	48" 4 Door	17/5
1700606H	60" 4 Door	18/5
1700726H	72" 4 Door	20/5
1700966H	96" 4 Door	23/5

Bulk 25 per Case

2 Door Components

Qty	Part #
1	1700 Track
1	1710 Pivot Lock
1	1713 Snubber
1	1711 Jamb Brkt
1	1707 Bot Piv
3	1703 Hinges
1	33 Knob
1	1705 Top Guide
1	1712 Wrench

4 Door Components

Qty	Part #
1	1700 Track
2	1710 Pivot Lock
1	1713 Snubber
2	1711 Jamb Brkt
2	1707 Bot Piv
6	1703 Hinges
2	33 Knob
2	1705 Top Guide
1	1712 Wrench
1	1808 Aligner




4 Door Hardware Set Shown



Same features as the 170A, but with woodtone steel track.

Also available with white track. (Bulk Only)

1718/1734/1738 Side Mount Bifold Hdwe 1734=¾", 1718-1⅛", 1738=1⅜" to 40 lbs.



4 Door Hardware Set Shown




Same features as 1700 series, except hardware is mounted to back side of door. Side mount plates can be adjusted if opening is slightly out of square. Top pivot and guide must be kept parallel with track. Track also available in white.

1738

ORDERING DATA

Specify	Opening Size	Lbs./Case Qty
	24" 2 Door	(Bulk only
	30" 2 Door	packed 25
1734=¾"	36" 2 Door	per carton)
1718=1⅛"	48" 4 Door	
1738=1⅜"	60" 4 Door	(Bulk only
	72" 4 Door	packed 25
	96" 4 Door	per carton)

1770 Side Mount Bifold Hardware for ¾" Thick Panels to 40 lbs.



2 Door Hardware Set Shown



Same features as 1718/1734/1738 but for ¾" doors only. Pivot and guide plate are 1¼" longer than 1718/1734/1738 plates. Track also available in white.


1770

ORDERING DATA

Item No.	Opening Size	Lbs./Case Qty
1770243H	24" 2 Door	(Bulk only
1770303H	30" 2 Door	packed 25
1770363H	36" 2 Door	per carton)
1770486H	48" 4 Door	
1770606H	60" 4 Door	(Bulk only
1770726H	72" 4 Door	packed 25
1770966H	96" 4 Door	per carton)


1825 Tap-In Bifold Hardware (7/16" pin) for 1⅛" to 1¾" Thick Panels to 35 lbs.

ORDERING DATA



1825

Item No.	Opening Size	Lbs./Case Qty
1825243H	24" 2 Door	(Bulk only
1825303H	30" 2 Door	packed 25
1825323H	32" 2 Door	per carton)
1825363H	36" 2 Door	8/5
1825486H	48" 4 Door	12/5
1825606H	60" 4 Door	13/5
1825726H	72" 4 Door	15/5
1825966H	96" 4 Door	17/5



2 Door Components

Qty	Part #
1	1825 Track
1	1810 Pivot
1	1713 Snubber
1	1811 Jamb Brkt
1	1807 Bot Piv
3	1805 Hinges
1	33 Knob
2	1801 Top Guide
1	1712 Wrench

4 Door Components

Qty	Part #
1	1825 Track
2	1810 Pivot Lock
2	1713 Snubber
2	1811 Jamb Brkt
2	1807 Bot Piv
6	1805 Hinges
2	33 Knob
4	1801 Top Guide
1	1712 Wrench
1	1808 Aligner


4 Door Hardware Set Shown



Low profile woodtone steel track. Pivots and guides have a needle bearing surface to minimize friction. Jamb bracket has an adjustable bottom pivot bearing socket. Hinges are self locating and automatically align to door. Brass-tone steel parts.

1838 Tap-In Bifold Hardware (3/8" pin) for 1⅛" to 1¾" Thick Panels to 30 lbs.

ORDERING DATA



1838

Item No.	Opening Size	Lbs./Case Qty
1838243H	24" 2 Door	(Bulk only
1838303H	30" 2 Door	packed 25
1838323H	32" 2 Door	per carton)
1838363H	36" 2 Door	
1838486H	48" 4 Door	(Bulk only
1838606H	60" 4 Door	packed 25
1838726H	72" 4 Door	per carton)
1838966H	96" 4 Door	



2 Door Components

Qty	Part #
1	1825 Track
1	1810 Pivot
1	1812 Snubber
1	1861 Jamb Brkt
1	1837 Bot Piv
3	1805 Hinges
1	37 Knob
2	1831 Top Guide
1	1712 Wrench

4 Door Components

Qty	Part #
1	1825 Track
2	1810 Pivot
1	1814 Snubber
2	1861 Jamb Brkt
2	1837 Bot Piv
6	1805 Hinges
2	37 Knob
4	1831 Top Guide
1	1712 Wrench
1	1808 Aligner


4 Door Hardware Set Shown



Low profile white steel track. Pivots and guides have a needle bearing surface to minimize friction. Jamb bracket has positive positioning bottom pivot bearing socket. Hinges are self locating and automatically align to door. Brass-tone steel parts.

1601 Full Access Bifold Hardware for ¾" to 1¾" Thick Panels to 30 lbs.

ORDERING DATA



1601

Item No.	Opening Size	Lbs./Case Qty
1601912P	18"-24" 2 Door	(Bulk only packed 25/Carton)
1601218P	24"-36" 2 Door	8/5
1601824P	36"-48" 2 Door	10/5
For 4 Door Openings, Order 2 Kits and Double the Opening Size		

Package Components

Qty	Part #
1	1601 Control Arm
1	1513 Bumper
1/2	1808 Aligner
3	1605 Hinge/ Woodtone
3	1703 Hinges
1	33 Knob

Retail Box



Unique bifold provides full jamb to jamb access. Doors fold 180 degrees and lay flat against the wall. No top track. Comes with woodtone, non-mortise, lift off, jamb hinges (mortised hinges can be used at jamb). Woodtone Control Arm, brass-tone steel parts. White, non-mortise, lift off, jamb hinges are available in bulk.




2 Door Hardware Set Shown



200RD Multi Folding Hardware for 1⅛" to 1¾" Thick Panels to 75 lbs.

ORDERING DATA



200RD

Specify	Description	Lbs./Case Qty
200	Track Only	See Page 26 For Sizes
2015BS-A	Basic Set (1st Pair of Doors)	3/1
2002PLBG	Add-On Set B (2nd and 3rd Pair)	28/25
2003 Hinge (Pair)	3.5"X3.5" Mortised Hinges	9/10 Pair

2015BS-A Components

Qty	Part #
1	2001 Top Pivot
1	2010 Pivot Lock
1	2002 Door Guide
1	2007 Bottom Pivot
1	2011 Pivot Bracket
1	37 Knob
1	1712 Wrench
Hinges Not Included Buy Mortised Hinges Separately	

2002 PLBG Set B Components

Qty	Part #
1	2002 Door Guide
Hinges Not Included Buy Mortised Hinges Separately	



Available in:
Bright Brass
Satin Nickel
Antique Brass

2003 Ball Bearing Hinge

Hardware for panels 12"-36" up to 9'0" high. Heavy duty I-beam track with positive pivot-lock, top hung, four wheel (1" dia.) ball bearing hangers, heavy duty bottom pivot, floor bracket with screw adjusting bottom pivot socket. Brass-tone steel parts.


(Maximum: Six panels each way.)
2003 Hinges must be ordered separately.



2015BS-A Components




2002 PLBG Set B Components



100RD Multi Folding Hardware
for 1⅛" to 1¾" Thick Panels to 50 lbs.

ORDERING DATA



100RD

Specify	Description	Lbs./Case Qty
100	Track Only	See Page 26 For Sizes
1015BS-A	Basic Set (1st Pair of Doors)	1.5/1
1030AOSB	Add-On Set B (2nd and 3rd Pair)	1.4/1

1015BS-A Components

Qty	Part #
1	1001 Top Pivot
1	1010 Pivot Lock
1	1125 Door Guide
1	1706 Bottom Pivot
1	1011 Pivot Bracket
3	1606 Hinges
1	1155 Track Stop
1	33 Knob
1	1712 Wrench

1030AOSB Components

Qty	Part #
1	1125 Door Guide
6	1606 Hinges
1	33 Knob
1	1712 Wrench

Hardware for panels 12"-24" up to 9'0" high. Convex rail aluminum track with positive pivot lock, top hung, three wheel (1" dia.) ball bearing hangers, non-mortise lift off hinges. Floor bracket has a screw for adjusting bottom pivot socket. Brass-tone steel parts.

(Maximum: Six panels each way.).



1015BS-A Components




1030AOSB Components



1700RD Multi Folding Hardware
For ¾" to 1⅜" Panels to 15 lbs.

ORDERING DATA



1700RD

1715BS-A Components

Qty	Part #
1	1701 Top Pivot
1	1710 Pivot Lock
1	1742 Door Guide
1	1707 Bot. Pivot
1	1711 Piv. Bracket
3	1606 Hinges
1	1713 Track Stop
1	33 Knob
1	1712 Wrench

1725AOSB Components

Qty	Part #
6	1606 Hinges
1	1742 Door Guide
1	33 Knob



1715BS-A Components



1725AOSB Components




Hardware for panels 9" to 18" up to 6'8" high. Aluminum track with positive pivot lock, top hung, surface mounted pivots/hangers, four way adjustable jamb bracket, four wheel (7/16" dia.) hanger, non-mortise lift off hinges. Brass-tone steel parts. *(Maximum: Six panels each way.).*

Specify	Description	Lbs./Case Qty
170A	Track Only	See Page 26 For Sizes
1715BS-A	Basic Set (1st Pair of Doors)	1/1
1725AOSB	Add-On Set B (2nd and 3rd Pair)	1.2/1

1740 Shutter Hardware
For ¾" to 1⅛" Panels to 15 lbs.

ORDERING DATA



1740RD

1740BS-A Components

Qty	Part #
1	1701 Top Pivot
1	1710 Pivot Lock
1	1742 Door Guide
1	1707 Bot. Pivot
1	1711 Piv. Bracket
2	1743 Hinges
1	1713 Track Stop
1	33 Knob
1	1712 Wrench

1740-AOS Components

Qty	Part #
4	1743 Hinges
1	1742 Door Guide
1	33 Knob



1740BS-A Components



1740-AOS Components




Hardware for panels 9" to 18" up to 6'8" high. Aluminum track with positive pivot lock, top hung, surface mounted pivots/hangers, four way adjustable jamb bracket, four wheel (7/16" dia.) hanger, non-mortise lift off hinges. Brass-tone steel parts. *(Maximum: Six panels each way.).*

Specify	Description	Lbs./Case Qty
170A	Track Only	See Page 26 For Sizes
1740BS-A	Basic Set (1st Pair of Doors)	5.5/10
1740-AOS	Add-On Set B (2nd and 3rd Pair)	2.4/10

200WM Wall Mounted Track and Hardware for a minimum 1⅛" or Thicker Door to 300 lbs.

ORDERING DATA



Item No.	Max Door Size	Lbs./Case Qty
200WM481	One 2'0" Door	7/1
200WM601	One 2'6" Door	8/1
200WM721	One 3'0" Door	9/1
200WM961	One 4'0" Door	11/1

200WM481 and 200WM601 Components Bulk 5 per Case

Qty	Part #	Qty	Part #
1	200 Track	1	12 Door Guide
4	2006 Brackets	2	2031 Guides
2	2020 Hangers	1	1712 Wrench
2	2055 Trk Stops	1	3/32" Wrench


200WM721 Components

Qty	Part #	Qty	Part #
1	200 Track	1	12 Door Guide
5	2006 Brackets	2	2031 Guides
2	2020 Hangers	1	1712 Wrench
2	2055 Trk Stops	1	3/32" Wrench

200WM961 Components

Qty	Part #	Qty	Part #
1	200 Track	1	12 Door Guide
6	2006 Brackets	2	2031 Guides
2	2020 Hangers	1	1712 Wrench
2	2055 Trk Stops	1	3/32" Wrench

200WM Hardware Set






200WM A unique surface mounted hardware set for open pocket doors. Use to slide door along the wall rather than in the wall. Features a heavy duty I-beam track, extruded aluminum wall mounting brackets to anchor the track to the wall studs, four wheel (1" dia.), smooth operating, ball bearing hangers, and two different guides to stabilize the door. Brass-tone steel parts. Tracks available up to 192".

2610F Wall Mounted Fascia Track and Hardware for a 1" to 1¾" Thick Door to 125 lbs.(200 lbs. w/ 1125 Hanger)

ORDERING DATA



Item No.	Max Door Size	Lbs./Case Qty
2610F481	One 2'0" Door	21/4
2610F601	One 2'6" Door	25/4
2610F721	One 3'0" Door	30/4
2610F961	One 4'0" Door	42/5

2610F Set Components

Qty	Part #
1	2610F Track
2	1120 Hangers
2	1155 Trk Stops
1	12 Guide
2	2680 End Caps
1	1712 Wrench

Bulk 10 per Case

A unique surface mounted hardware set for open pocket doors. Use to slide a door along the wall rather than in the wall. Aluminum track with convex rails, jump proof three wheel (1" dia.) hangers assure a smooth quiet operation. Also includes a wall-mounted door guide. Brass-tone steel parts. Optional #1125 hanger for doors up to 200 lbs.

Also Available in Dark Bronze/200 lbs. Rating



Item No.	Max Door Size	Lbs./Case Qty
2610F48B	One 2'0" Door	5/1
2610F60B	One 2'6" Door	6/1
2610F72B	One 3'0" Door	7/1
2610F96B	One 4'0" Door	9/1

Bulk 10 per Case

2610F Hardware Set






2610F

2000 Commercial Grade Pocket Door Frame for 1⅛" to 1¾" Thick Doors to 300 lbs.

ORDERING DATA



2000

For 2 x 4 construction. Aluminum "I" Beam track, smooth quiet operation, rust resistant steel reinforced wood split studs, jump proof 4 wheel ball bearing (1" dia.) hangers, self-adjusting floor anchors, 2'6" and 3'0" headers marked to cut to smaller door sizes. Brass-tone steel parts.






2000 Series Pocket Door Frame Prices

Item No.	Max Door Size	lbs/Case
	Frames for 80" Tall Doors	
202668PF	For Doors up to 30" wide x 80" tall	42/1
203068PF	For Doors up to 36" wide x 80" tall	44/1
204068PF	For Doors up to 48" wide x 80" tall	63/1
205068PF	For Doors up to 60" wide x 80" tall	81/1
	Frames for 84" Tall Doors	
202670PF	For Doors up to 30" wide x 84" tall	43/1
203070PF	For Doors up to 36" wide x 84" tall	45/1
204070PF	For Doors up to 48" wide x 84" tall	65/1
205070PF	For Doors up to 60" wide x 84" tall	83/1
	Frames for 96" Tall Doors	
202680PF	For Doors up to 30" wide x 96" tall	47/1
203080PF	For Doors up to 36" wide x 96" tall	49/1
204080PF	For Doors up to 48" wide x 96" tall	70/1
205080PF	For Doors up to 60" wide x 96" tall	90/1
	Frames for 108" Tall Doors	
202690PF	For Doors up to 30" wide x 108" tall	50/1
203090PF	For Doors up to 36" wide x 108" tall	52/1
204090PF	For Doors up to 48" wide x 108" tall	75/1
205090PF	For Doors up to 60" wide x 108" tall	97/1
	Accessory	
2050PLBG	Converging Door Kit	10/10

2060 Commercial Grade Pocket Door Frame for 1⅛" to 2¼" Thick Doors to 300 lbs. (2" x 6" Stud Wall)

ORDERING DATA



2060

For 2 x 6 Construction. Heavy duty pocket door frame featuring heavy gauge all steel split studs for maximum wall rigidity. New all steel split stud design makes a pocket door wall sheeted with standard wall board material comparable in stiffness to standard non pocket door stud walls and eliminates warpage. The 2060 is designed like the rest of our pocket door frames so it can be used for single or converging pocket door applications. The 2060 is packaged for easy transport and fast installation in standard 2 X 6 timber or steel framed stud walls. Versatile frames can be adapted for use in thicker walls, block walls and cut down to accept any smaller door size.




2060 Series Pocket Door Frame Prices

Item No.	Max Door Size	lbs/Case
	Frames for 80" Tall Doors	
20602668	For Doors up to 30" wide x 80" tall	52/1
20603068	For Doors up to 36" wide x 80" tall	55/1
20604068	For Doors up to 48" wide x 80" tall	78/1
20605068	For Doors up to 60" wide x 80" tall	99/1
	Frames for 84" Tall Doors	
20602670	For Doors up to 30" wide x 84" tall	53/1
20603070	For Doors up to 36" wide x 84" tall	56/1
20604070	For Doors up to 48" wide x 84" tall	80/1
20605070	For Doors up to 60" wide x 84" tall	102/1
	Frames for 96" Tall Doors	
20602680	For Doors up to 30" wide x 96" tall	58/1
20603080	For Doors up to 36" wide x 96" tall	61/1
20604080	For Doors up to 48" wide x 96" tall	87/1
20605080	For Doors up to 60" wide x 96" tall	111/1
	Frames for 108" Tall Doors	
20602690	For Doors up to 30" wide x 108" tall	62/1
20603090	For Doors up to 36" wide x 108" tall	65/1
20604090	For Doors up to 48" wide x 108" tall	94/1
20605090	For Doors up to 60" wide x 108" tall	120/1
	Accessory	
2050PLBG	Converging Door Kit	10/10

1500 Commercial Grade Pocket Door Frame for 1″ to 1⅜″ Thick Doors (1¾″ with 1575 Adaptor Kit) to 125 lbs. (200 lbs. with 1125 Hanger)

Johnson Hardware — Engineered Excellence

ORDERING DATA



For 2 x 4 Construction. Removable aluminum track with convex rails for smooth quiet operation, rust resistant steel reinforced wood split studs, jump proof three wheel (1″ dia.) hangers, self adjusting floor anchors, 2′6″ and 3′0″ headers marked to cut to smaller door sizes. Brass-tone steel parts. All frames for doors up to 1⅜″ can be converted for 1¾″ doors with 1575PPK3 adaptor kit. All oversized frames include 1575PPK3 adaptor kit.



1500

Item No.	Description	lbs/Case
Accessories		
1500PPK3	Replacement Hardware Kit	5/10
1555PPK3	Converging Door Kit	3/10
1575PPK3	1-3/4″ Door Adapter Kit	3/10
Steel Wrapped Uprights		
Please Note: 3′6″ and 4′0″ Frames have 1 extra pair of uprights. 4′6″ and 5′0″ Frames have 2 extra pairs of uprights.		
1568UPRT	80″ Upright Pair with 1⅜″ Floor Bracket	72/6
1570UPRT	84″ Upright Pair with 1⅜″ Floor Bracket	75/6
1580UPRT	96″ Upright Pair with 1⅜″ Floor Bracket	86/6
1590UPRT	108″ Upright Pair with 1⅜″ Floor Bracket	96/6
Hangers		
1120	Standard Hanger, max weight 125 lbs.	13/50
1125	Ball-Bearing Hanger, max weight 200 lbs.	23/50
1121	Hanger Plate w/ screws	9/100






1500 Series Pocket Door Frame Prices

Item No.	Max Door Size	lbs/Case
Frames for 80″ Tall Doors up to 125 lbs.		
152068PF	For Doors up to 24″ wide x 80″ tall x 1⅜″	28/1
152468PF	For Doors up to 28″ wide x 80″ tall x 1⅜″	29/1
152668PF	For Doors up to 30″ wide x 80″ tall x 1⅜″	30/1
152868PF	For Doors up to 32″ wide x 80″ tall x 1⅜″	30/1
153068PF	For Doors up to 36″ wide x 80″ tall x 1⅜″	30/1
Frames for 80″ Tall Doors up to 200 lbs. ***(Uses 1125 Ball Bearing Hanger)***		
152068HD	For Doors up to 24″ wide x 80″ tall x 1⅜″	28/1
152468HD	For Doors up to 28″ wide x 80″ tall x 1⅜″	29/1
152668HD	For Doors up to 30″ wide x 80″ tall x 1⅜″	30/1
152868HD	For Doors up to 32″ wide x 80″ tall x 1⅜″	30/1
153068HD	For Doors up to 36″ wide x 80″ tall x 1⅜″	30/1
Frames Below include 1575 1¾″ Adaptor Kit		
153668PF	For Doors up to 42″ wide x 80″ tall x 1¾″	40/1
154068PF	For Doors up to 48″ wide x 80″ tall x 1¾″	42/1
154668PF	For Doors up to 54″ wide x 80″ tall x 1¾″	54/1
155068PF	For Doors up to 60″ wide x 80″ tall x 1¾″	55/1
Frames for 84″ Tall Doors up to 200 lbs. ***(Uses 1125 Ball Bearing Hanger)***		
152070PF	For Doors up to 24″ wide x 84″ tall x 1¾″	32/1
152470PF	For Doors up to 28″ wide x 84″ tall x 1¾″	34/1
152670PF	For Doors up to 30″ wide x 84″ tall x 1¾″	35/1
152870PF	For Doors up to 32″ wide x 84″ tall x 1¾″	37/1
153070PF	For Doors up to 36″ wide x 84″ tall x 1¾″	39/1
153670PF	For Doors up to 42″ wide x 84″ tall x 1¾″	43/1
154070PF	For Doors up to 48″ wide x 84″ tall x 1¾″	50/1
154670PF	For Doors up to 54″ wide x 84″ tall x 1¾″	57/1
155070PF	For Doors up to 60″ wide x 84″ tall x 1¾″	61/1
Frames for 96″ Tall Doors up to 200 lbs. ***(Uses 1125 Ball Bearing Hanger)***		
152080PF	For Doors up to 24″ wide x 96″ tall x 1¾″	35/1
152480PF	For Doors up to 28″ wide x 96″ tall x 1¾″	39/1
152680PF	For Doors up to 30″ wide x 96″ tall x 1¾″	40/1
152880PF	For Doors up to 32″ wide x 96″ tall x 1¾″	41/1
153080PF	For Doors up to 36″ wide x 96″ tall x 1¾″	43/1
153680PF	For Doors up to 42″ wide x 96″ tall x 1¾″	44/1
154080PF	For Doors up to 48″ wide x 96″ tall x 1¾″	50/1
154680PF	For Doors up to 54″ wide x 96″ tall x 1¾″	59/1
155080PF	For Doors up to 60″ wide x 96″ tall x 1¾″	62/1
Frames for 108″ Tall Doors up to 200 lbs. ***(Uses 1125 Ball Bearing Hanger)***		
152090PF	For Doors up to 24″ wide x 108″ tall x 1¾″	38/1
152490PF	For Doors up to 28″ wide x 108″ tall x 1¾″	40/1
152690PF	For Doors up to 30″ wide x 108″ tall x 1¾″	41/1
152890PF	For Doors up to 32″ wide x 108″ tall x 1¾″	42/1
153090PF	For Doors up to 36″ wide x 108″ tall x 1¾″	44/1
153690PF	For Doors up to 42″ wide x 108″ tall x 1¾″	56/1
154090PF	For Doors up to 48″ wide x 108″ tall x 1¾″	62/1
154690PF	For Doors up to 54″ wide x 108″ tall x 1¾″	72/1
155090PF	For Doors up to 60″ wide x 108″ tall x 1¾″	80/1

1560 Commercial Grade Pocket Door Frame for 1" to 3" Thick Doors to 200 lbs. (2" x 6" Stud Wall)

ORDERING DATA



1560

For 2 x 6 Construction. Removable aluminum track with convex rails, rust resistant steel reinforced wood split studs, jump proof three wheel (1" dia.) ball bearing hangers, self-adjusting floor anchors, headers marked to cut to smaller door sizes. Brass-tone steel parts.






1560 Series Pocket Door Frame Prices

Item No.	Max Door Size	lbs/Case
	Frames for 80" Tall Doors	
15602668	For Doors up to 30" wide x 80" tall	31/1
15603068	For Doors up to 36" wide x 80" tall	33/1
15604068	For Doors up to 48" wide x 80" tall	58/1
*15605068	For Doors up to 60" wide x 80" tall	73/1
Frames for 84" Tall Doors		
15602670	For Doors up to 30" wide x 84" tall	38/1
15603070	For Doors up to 36" wide x 84" tall	40/1
15604070	For Doors up to 48" wide x 84" tall	61/1
*15605070	For Doors up to 60" wide x 84" tall	77/1
Frames for 96" Tall Doors		
15602680	For Doors up to 30" wide x 96" tall	41/1
15603080	For Doors up to 36" wide x 96" tall	43/1
15604080	For Doors up to 48" wide x 96" tall	66/1
*15605080	For Doors up to 60" wide x 96" tall	85/1
Frames for 108" Tall Doors		
*15602690	For Doors up to 30" wide x 108" tall	45/1
*15603090	For Doors up to 36" wide x 108" tall	47/1
*15604090	For Doors up to 48" wide x 108" tall	71/1
*15605090	For Doors up to 60" wide x 108" tall	92/1
Accessory		
1555PPK3	Converging Door Kit	6/10

2710 Fabricated Pocket Door Frame for 1" to 1⅜" Thick Doors to 125 lbs. (200 lbs. with 1125 Hanger)

ORDERING DATA



2710

A "pre-assembled" pocket door frame with 10 horizontal members for 2" x 4" construction. Removable aluminum track with convex rails, jump proof three wheel (1" dia.) hangers. Brass-tone steel parts. *Optional hanger #1125 available for doors to 200 lbs.*




2710 Series Pocket Door Frame Prices


Item No.	Max Door Size	lbs/Case
Frames for 80" Tall Doors up to 125 lbs.		
27102068	For Doors up to 24" wide x 80" tall x 1⅜"	23/1
27102468	For Doors up to 28" wide x 80" tall x 1⅜"	26/1
27102668	For Doors up to 30" wide x 80" tall x 1⅜"	27/1
27102868	For Doors up to 32" wide x 80" tall x 1⅜"	28/1
27103068	For Doors up to 36" wide x 80" tall x 1⅜"	31/1
Frames for 80" Tall Doors up to 200 lbs. *(Uses 1125 Ball Bearing Hanger)*		
27H02068	For Doors up to 24" wide x 80" tall x 1⅜"	23/1
27H02468	For Doors up to 28" wide x 80" tall x 1⅜"	26/1
27H02668	For Doors up to 30" wide x 80" tall x 1⅜"	27/1
27H02868	For Doors up to 32" wide x 80" tall x 1⅜"	28/1
27H03068	For Doors up to 36" wide x 80" tall x 1⅜"	31/1
Frames for 84" Tall Doors up to 200 lbs. *(Uses 1125 Ball Bearing Hanger)*		
27102070	For Doors up to 24" wide x 84" tall x 1⅜"	30/1
27102470	For Doors up to 28" wide x 84" tall x 1⅜"	33/1
27102670	For Doors up to 30" wide x 84" tall x 1⅜"	34/1
27102870	For Doors up to 32" wide x 84" tall x 1⅜"	38/1
27103070	For Doors up to 36" wide x 84" tall x 1⅜"	39/1
Frames for 96" Tall Doors up to 200 lbs. *(Uses 1125 Ball Bearing Hanger)*		
27102080	For Doors up to 24" wide x 96" tall x 1⅜"	38/1
27102480	For Doors up to 28" wide x 96" tall x 1⅜"	42/1
27102680	For Doors up to 30" wide x 96" tall x 1⅜"	43/1
27102880	For Doors up to 32" wide x 96" tall x 1⅜"	47/1
27103080	For Doors up to 36" wide x 96" tall x 1⅜"	48/1

Item No.	Description	lbs/Case
Accessories		
1500PPK3	Replacement Hardware Kit (125 lbs.)	5/10
1555PPK3	Converging Door Kit	6/10

2711 Fabricated Pocket Door Frame for ¾" to 1⅜" Thick Doors to 80 lbs. (150 lbs. with 1025 Hanger)

ORDERING DATA






2711

A "pre-assembled" pocket door frame with 10 horizontal members for 2" x 4" construction. Removable aluminum track with convex rails, jump proof three wheel (¾" dia.) hangers. Brass-tone steel parts. *Optional hanger #1025 available for doors to 150 lbs.*




2711 Series Pocket Door Frame Prices


Item No.	Max Door Size	lbs/Case
Frames for 80" Tall Doors up to 125 lbs.		
27112068	For Doors up to 24" wide x 80" tall x 1⅜"	23/1
27112468	For Doors up to 28" wide x 80" tall x 1⅜"	26/1
27112668	For Doors up to 30" wide x 80" tall x 1⅜"	27/1
27112868	For Doors up to 32" wide x 80" tall x 1⅜"	28/1
27113068	For Doors up to 36" wide x 80" tall x 1⅜"	31/1
Frames for 80" Tall Doors up to 200 lbs. ***(Uses 1025 Ball Bearing Hanger)***		
27H12068	For Doors up to 24" wide x 80" tall x 1⅜"	23/1
27H12468	For Doors up to 28" wide x 80" tall x 1⅜"	26/1
27H12668	For Doors up to 30" wide x 80" tall x 1⅜"	27/1
27H12868	For Doors up to 32" wide x 80" tall x 1⅜"	28/1
27H13068	For Doors up to 36" wide x 80" tall x 1⅜"	31/1
Accessories		
2511PPK3	Replacement Hardware Kit (80 lbs.)	3/10
1555PPK3	Converging Door Kit	6/10



2511 Commercial Grade Pocket Door Frame for ¾" to 1⅜" Thick Doors (1¾" with 1575 Adaptor Kit) to 80 lbs. (150 lbs. with 1025 Hanger)

ORDERING DATA






2511

For 2 x 4 Construction. Removable aluminum track with convex rails for smooth quiet operation, rust resistant steel reinforced wood split studs, jump proof three wheel (¾" dia.) hangers, self adjusting floor anchors, 2'6" and 3'0" headers marked to cut to smaller door sizes. Brass-tone steel parts. All frames for doors up to 1⅜" can be converted for 1¾" doors with 1575PPK3 adaptor kit. Very similar to 1500 Series Frame, but with smaller diameter hanger.



2511 Series Pocket Door Frame Prices

Item No.	Max Door Size	lbs/Case
Frames for 80" Tall Doors up to 80 lbs.		
25112668	For Doors up to 30" wide x 80" tall x 1⅜"	27/1
25113068	For Doors up to 36" wide x 80" tall x 1⅜"	29/1
Frames for 80" Tall Doors up to 150 lbs. ***(Uses 1025 Ball Bearing Hanger)***		
25HD2668	For Doors up to 30" wide x 80" tall x 1⅜"	27/1
25HD3068	For Doors up to 36" wide x 80" tall x 1⅜"	29/1
Accessories		
2511PPK3	Hardware Replacement Set (80 lbs.)	4/10
1555PPK3	Converging Door Kit	6/10
1575PPK3	1-3/4" Door Adapter Kit	4/10
1025PLB2	Pair of Hangers for 150 lbs. Doors	4/10




1510 (Finger-Jointed, Primed/For Painting)
1511 (Clear Pine/For Staining)

Universal Pocket Door Jamb Kit For 4⅝" Thick Walls

Johnson Hardware Engineered Excellence

ORDERING DATA



1510/1511

Item No.	Max Door Size	LBS/Case
15103068	3'0" x 6'8"	20/3
15113068	3'0" x 6'8"	20/3

A fast, convenient method of finishing a Pocket Door Installation. Just cut to length and install. No ripping of special thickness stock. Presanded so finishing is a snap.

Package includes 5 boards. Two split header boards, two split jamb boards, and a strike jamb board. (Since a wide variety of casings are available, they are not included)

Jambs can be cut down for smaller sized doors.

Cannot be used with the 2000 Series Frame..




1521 (For 1⅜" Doors Only)
1534 (For 1¾" Doors Only)

Pocket Door Privacy Locks

Johnson Hardware Engineered Excellence

ORDERING DATA



1521/1534



For Converging Doors Use One Privacy Lock, One Dummy Pull, and Two Edge Pulls

Item No.	Description	Color	Door Thickness	LBS/Case
15213PK1	Privacy Lock	US3/Brt. Brass	1⅜"	2.5/5
152115P1	Privacy Lock	US15/Sat. Nic.	1⅜"	2.5/5
15215PK1	Privacy Lock	US5/Ant. Brass	1⅜"	2.5/5
21-3PPK2	Dummy Pull	US3/Brt. Brass	1⅜"	2.6/10
21-15PK2	Dummy Pull	US15/Sat. Nic.	1⅜"	2.6/10
21-5PPK2	Dummy Pull	US5/Ant. Brass	1⅜"	2.6/10
1534-3P1	Privacy Lock	US3/Brt. Brass	1¾"	1/1
153415P1	Privacy Lock	US15/Sat. Nic.	1¾"	1/1
1534-5P1	Privacy Lock	US5/Ant. Brass	1¾"	1/1
134US3	Dummy Pull	US3/Brt. Brass	1¾"	3/10
134US15	Dummy Pull	US15/Sat. Nic.	1¾"	3/10
134US5	Dummy Pull	US5/Ant. Brass	1¾"	3/10
150-3PK1	Edge Pull	US3/Brt. Brass	Universal	2/10
150US15	Edge Pull	US15/Sat. Nic.	Universal	4/25

Bulk 25/Carton

21-PPK/134 "Suncrest" Dummy Pull

US3-Bright Brass



US15-Satin Nickel




US5-Antique Brass



150US15 Edge Pull
Satin Nickel








150US3 Edge Pull
Bright Brass

200PD Commercial Grade Pocket Door Hardware for a 1⅛" or Thicker Door to 300 lbs.

ORDERING DATA



200PD

Item No.	Max Door Size	Lbs./Case
200481DR	One 2'0" Door	Bulk Only
200601DR	One 2'6" Door	5/Carton
200721DR	One 3'0" Door	7/1
200961DR	One 4'0" Door	9/1

Bulk 5/Carton

200PD Components

Qty	Part #
1	200 Track
2	2020 Hangers
1	1550 Guides
1	1513 Bumper

A deluxe commercial grade hardware set. Can be used for pocket doors or in combination with itself to make special installations of sliding doors. Heavy duty I-beam aluminum track. Four wheel (1" dia.) ball bearing hangers. Brass-tone steel parts. Tracks can be cut down for smaller applications.




200PD Hardware Set





100PD Commercial Grade Pocket Door Hardware for a 1" or Thicker Door to 125 lbs. (200 lbs. with 1125 Hangers)

ORDERING DATA



100PD

Item No.	Max Door Size	Lbs./Case
100481DR	One 2'0" Door	12/5
100601DR	One 2'6" Door	14/5
100721DR	One 3'0" Door	16/5
100961DR	One 4'0" Door	20/5


Bulk 25/Carton

100PD Components


Qty	Part #
1	100 Track
2	1120 Hangers
1	1550 Guides
1	1513 Bumper
1	1712 Wrench

Can be used for pocket doors or in combination with itself to make special installations of sliding doors. Aluminum track with convex rails, jump proof three wheel (1" dia.) hangers assure a smooth, quiet operation. Brass-tone steel parts. Tracks can be cut down for smaller applications.
Optional Hanger #1125 available for doors up to 200 lbs. (Bulk Only)

100PD Hardware Set








111PD Commercial Grade Pocket Door Hardware for a ¾" or Thicker Door to 80 lbs. (150 lbs. with 1025 Hangers)

ORDERING DATA



111PD

Item No.	Max Door Size	Lbs./Case
111481DR	One 2'0" Door	8/5
111601DR	One 2'6" Door	9/5
111721DR	One 3'0" Door	10/5
111961DR	One 4'0" Door	12/5


Bulk 25/Carton

111PD Components


Qty	Part #
1	111 Track
2	1020 Hangers
1	1550 Guides
1	1513 Bumper
1	1712 Wrench

Can be used for pocket doors or in combination with itself to make special installations of sliding doors. Aluminum track with convex rails, jump proof three wheel (¾" dia.) hangers assure a smooth, quiet operation. Brass-tone steel parts. Tracks can be cut down for smaller applications.
Optional Hanger #1025 available for doors up to 150 lbs. (Bulk Only).

111PD Hardware Set








2800F Double Fascia Open Pocket Door Hardware for a ¾" to 1¾" Thick Door to 75 lbs.

ORDERING DATA



2800F

Item No.	Max Door Size	Lbs./Case
2800F481	One 2'0" Door	Bulk Only-20/Case
2800F601	One 2'6" Door	Bulk Only-20/Case
2800F721	One 3'0" Door	20/5
2800F961	One 4'0" Door	25/5


Bulk 20/Carton

2800F Components

Qty	Part #
1	2800F Track
2	2815 Hangers
1	12 Guide
1	1513 Bumper
1	1712 Wrench

Space saving, header mounted "Open Pocket Door" hardware set. Aluminum double fascia track with a single convex rail, twin wheel (⅞" dia.) ball bearing hangers, wall mount guide. Brass-tone steel parts.

2800F Hardware Set






2800 (Aluminum Track and Hardware Set) 2850 (Steel Track and Hardware Set) Pocket Door Hardware For a 1⅛" or Thicker Door to 50 lbs.

Johnson HARDWARE Engineered Excellence

ORDERING DATA



2800/2850

Item No.	Max Door Size	Lbs./Case
2800481D	One 2'0" Door	Bulk Only-25/Case
2800601D	One 2'6" Door	Bulk Only-25/Case
2800721D	One 3'0" Door	9/5
2800961D	One 4'0" Door	11/5
2850481D	One 2'0" Door	Bulk Only-25/Case
2850601D	One 2'6" Door	Bulk Only-25/Case
2850721D	One 3'0" Door	11/5
2850961D	One 4'0" Door	14/5


Bulk 20/Carton

2800/2850 Components

Qty	Part #
1	2800/2850 Track
2	2802 Hangers
1	1550 Guides
1	1513 Bumper
1	1712 Wrench

An economical track and hardware set with a single convex rail, which provides one point contact between wheel and track. One wheel (⅞" dia.) hanger. Brass-tone steel parts.
2800 Series offers an upgraded aluminum track.
2850 Series offers an entry-level steel track.

2800 Hardware Set



2850 Hardware Set



9000 Closet Rod System

Johnson HARDWARE

ORDERING DATA



9000 Adjustable Closet Rod

Item No.	Size	Lbs./Case
9018-30P	18"-30"	11/10
9030-48P	30"-48"	18/10
9048-72P	48"-72"	24/10
9072-96P	72"-96"	30/10
9072120P	72"-120"	38/10
9096144P	96"-144"	23/5
9003WHEN	----	17/20
9005WHEN	----	11/20
9027PLBG	----	4.5/20
9028PLBG	----	4.1/20
9030PLBG	----	4/100
9500-096	96"	32/20

Bulk 15/Carton



9003 Shelf/Rod Support



9005 Shelf/Rod Support



9030 1⅜" Pole End Brackets



9500-096 Valet Rod

22 gauge welded seam tubing plated bright zinc. Rods "Snap" into end bracket, heavy 12 gauge white powder coated shelf and rod supports.




9027 1⅜" Rod



9028 1" Rod

200SD Heavy Duty Bypass Track and Hardware for 1⅛" or Thicker Doors to 300 lbs.

ORDERING DATA



200SD

Item No.	Opening Size	Lbs./Case
200482DR	48"-2 Door	Bulk Only-5/Case
200602DR	96"-2 Door	Bulk Only-5/Case
200722DR	72"-2 Door	14/1
200962DR	96"-2 Door	17/1
2001443DR	144"-3 Door	Bulk Only-5/Case

200SD 2 DR Components

Qty	Part #
2	200 Track
4	2020 Hangers
3	2031 Guides
1	2155 Door Stop
2	30US3 Pull

200SD 3 DR Components

Qty	Part #
2	200 Track
6	2020 Hangers
6	2031 Guides
1	2155 Door Stop
3	30US3 Pull
1	2055 Stop
1	1712 Wrench

A deluxe commercial grade hardware set. Heavy duty extruded aluminum I-beam track. Four wheel ball bearing hangers with machine turned 1" wheels. Heavy duty guide with steel reinforced nylon posts. Brass-tone steel parts. Tracks can be spaced out to accomodate non-standard door thicknesses greater than 1-1/8". Tracks can be cut down for smaller openings.




200SD 2 DR Hardware Set



100SD Heavy Duty Bypass Track and Hardware for 1" or Thicker Doors to 200 lbs.

ORDERING DATA



100SD

Item No.	Opening Size	Lbs./Case
100482DR	48"-2 Door	4.5/1
100602DR	60"-2 Door	5.3/1
100722DR	72"-2 Door	6/1
100962DR	96"-2 Door	7.7/1

Bulk 10/Carton

100SD 2 Door Components

Qty	Part #
2	100 Track
4	1125 Hangers
1	101 Guide Set
1	2155 Door Stop
2	30US3 Pull
1	1712 Wrench

A commercial grade bypass sliding door hardware set for doors weighing up to 200 pounds each. Heavy-duty extruded aluminum box track utilizes three-wheeled ball-bearing rollers (#1125) with 1" diameter machine turned wheels. The three piece guide is adjustable for different thicknesses of doors. (minimum door thickness is 1")




100SD Hardware Set



111SD Heavy Duty Bypass Track and Hardware for ¾" or Thicker Doors to 150 lbs.

ORDERING DATA



111SD

Item No.	Opening Size	Lbs./Case
111482DR	48"-2 Door	4.7/1
111602DR	60"-2 Door	5.2/1
111722DR	72"-2 Door	5.7/1
111962DR	96"-2 Door	6.9/1

Bulk 10/Carton

111SD 2 Door Components

Qty	Part #
2	111 Track
4	1025 Hangers
1	101 Guide Set
1	2155 Door Stop
2	30US3 Pull
1	1712 Wrench

A commercial grade bypass sliding door hardware set for doors weighing up to 150 pounds each. Heavy-duty extruded aluminum box track utilizes three-wheeled ball-bearing rollers (#1025) with 3/4" diameter machine turned wheels. The three piece guide is adjustable for different thicknesses of doors. (minimum door thickness is 3/4")




111SD Hardware Set



134F Heavy Duty Bypass Track and Hardware for 1¾" Doors to 125 lbs. (200 lbs. with 1125 Ball Bearing Hanger)

ORDERING DATA



134F

Item No.	Opening Size	Lbs./Case
134F482D	48"-2 Door	24/5
134F602D	60"-2 Door	29/5
134F722D	72"-2 Door	33/5
134F964D	96"-4 Door	30/3

Bulk 10/Carton

134F 2 Door Components

Qty	Part #
1	134F Track
4	1120 Hangers
1	2134 Guide Set
1	2155 Door Stop
2	30US3 Pull
1	1712 Wrench

134F 4 Door Components

Qty	Part #
1	134F Track
8	1120 Hangers
2	2134 Guide Set
2	2155 Door Stop
4	30US3 Pull
1	1712 Wrench
2	1155 Stop

Commercial grade track (for 1¾" thick doors) with an aluminum fascia which hides hangers from view. Three wheel (1" dia.) hangers ride on convex rails for a smooth, quiet operation. Door guide is woodtone with pivot action that align guide posts with door. Brass-tone, steel parts.

**Optional hanger #1125 available for doors to 200 lbs./each. (Bulk Only).*




134F Hardware Set



138F Heavy Duty Bypass Track and Hardware for 1⅜" Doors to 125 lbs. (200 lbs. with 1125 Ball Bearing Hanger)

ORDERING DATA



138F

Item No.	Opening Size	Lbs./Case
138F482D	48"-2 Door	22/5
138F602D	60"-2 Door	26/5
138F722D	72"-2 Door	30/5
138F964D	96"-4 Door	26/3

Bulk 10/Carton

138F 2 Door Components

Qty	Part #
1	138F Track
4	1120 Hangers
1	2135 Guide Set
1	2155 Door Stop
2	30US3 Pull
1	1712 Wrench

138F 4 Door Components

Qty	Part #
1	138F Track
8	1120 Hangers
2	2135 Guide Set
2	2155 Door Stop
4	30US3 Pull
1	1712 Wrench
2	1155 Stop

Commercial grade track (for 1⅜" thick doors) with an aluminum fascia which hides hangers from view. Three wheel (1" dia.) hangers ride on convex rails for a smooth, quiet operation. Door guide is woodtone with pivot action that align guide posts with door. Brass-tone, steel parts.

Optional hanger #1125 available for doors to 200 lbs./each. (Bulk Only).




138F Hardware Set



118F Heavy Duty Bypass Track and Hardware for 1⅛" Doors to 80 lbs. (150 lbs. with 1025 Ball Bearing Hanger)

ORDERING DATA



118F

Item No.	Opening Size	Lbs./Case
118F482D	48"-2 Door	17/5
118F602D	60"-2 Door	21/5
118F722D	72"-2 Door	24/5
118F964D	96"-4 Door	34/5

Bulk 10/Carton

118F 2 Door Components

Qty	Part #
1	118F Track
4	1020 Hangers
1	2118 Guide Set
1	2155 Door Stop
2	30US3 Pull
1	1712 Wrench

118F 4 Door Components

Qty	Part #
1	118F Track
8	1020 Hangers
2	2118 Guide Set
2	2155 Door Stop
4	30US3 Pull
1	1712 Wrench
2	1155 Stop

Commercial grade track (for 1⅛" thick doors) with an aluminum fascia which hides hangers from view. Three wheel (¾" dia.) hangers ride on convex rails for a smooth, quiet operation. Door guide is woodtone with pivot action that align guide posts with door. Brass-tone, steel parts.

**Optional hanger #1025 available for doors to 150 lbs./each. (Bulk Only).*




118F Hardware Set



2200F Residential Grade Bypass Fascia Track and Hardware for 1⅜" Doors to 50 lbs. (One Wheel) or 75 lbs. (Two Wheel)

Johnson Hardware — Engineered Excellence

ORDERING DATA



2200F

Item No.	Opening Size	Lbs./Case
2200F481	48"-2 Door	13/5
2200F601	60"-2 Door	15/5
2200F721	72"-2 Door	16/5
2200F961	96"-4 Door	26/5
*2200F482	48"-2 Door	14/5
*2200F602	60"-2 Door	16/5
*2200F722	72"-2 Door	18/5
*2200F962	96"-4 Door	27/5

Bulk 25/Carton

2200F 2 Door Components

Qty	Part #
1	2200F Track
4	2238 Hangers (2228 2 Whl)
1	2135 Guide Set
2	15US3 Pull

2200F 4 Door Components

Qty	Part #
1	2200F Track
8	2238 Hangers (2228 2 Whl)
2	2135 Guide Set
1	2255 Stop Kit
4	15US3 Pull

An aluminum fascia track with "Hi-Lite" design to hide blemishes that may occur. Convex track rails that provide one point contact between wheel and track. Hangers include one or two wheels (7/8" dia.) with three point locking. Hangers adjust without removing or relocating screws. Woodtone guide adjusts laterally for quick plumbing. Nylon guide posts are 1" high, guide posts swivel to allow warped doors to operate without binding. Brass-tone steel parts.

** 2 Wheel Hangers for 75 lbs. per door.*




2200F Hardware Set



2204F Residential Grade Bypass Fascia Track and Hardware for 3/4" Doors to 50 lbs.

Johnson Hardware — Engineered Excellence

ORDERING DATA



2204F

Item No.	Opening Size	Lbs./Case
2204F481	48"-2 Door	
2204F601	60"-2 Door	
2204F721	72"-2 Door	15/5
2204F961	96"-4 Door	22/5

Bulk 20/Carton

2204F 2 Door Components

Qty	Part #
1	2204F Track
4	2238 Hangers (2228 2 Whl)
1	2175 Guide
2	15US3 Pull

2204F 4 Door Components

Qty	Part #
1	2204F Track
8	2238 Hangers (2228 2 Whl)
2	2175 Guide Set
1	2255 Stop Kit
4	15US3 Pull

A premium, residential bypass set for 3/4" thick doors. Uses an aluminum fascia track with "Hi-Lite" design to hide blemishes that may occur. Convex track rails that provide one point contact between wheel and track. Hangers include one or two wheels (7/8" dia.) with three point locking. Hangers adjust without removing or relocating screws. Woodtone guide adjusts laterally for quick plumbing. Nylon guide posts are 1" high, guide posts swivel to allow warped doors to operate without binding. Brass-tone steel parts.




2204F Hardware Set



2222 Residential Grade Bypass Track and Hardware with Wood Header for 1⅜" Doors to 50 lbs. (One Wheel) or 75 lbs. (Two Wheels)

ORDERING DATA



2222

Item No.	Opening Size	Lbs./Case
22224814	48"-2 Door	
22226014	60"-2 Door	
22227214	72"-2 Door	Bulk
22229614	96"-4 Door	Only
*22224824	48"-2 Door	10/Carton
*22226024	60"-2 Door	
*22227224	72"-2 Door	
*22229624	96"-4 Door	

2222 2 Door Components


Qty	Part #
1	2222 Track
4	2238 Hangers (2228 2 Whl)
1	2135 Guide Set
2	15US3 Pull

2222 4 Door Components

Qty	Part #
1	2222 Track
8	2238 Hangers (2228 2 Whl)
2	2135 Guide Set
1	2255 Stop Kit
4	15US3 Pull



2222 Hardware Set




Prefabricated header with aluminum track replaces the regular head jamb. Keeps the bypass doors the same trim height as swinging doors. Eliminates odd door heights. Convex track rails., 7/8" dia. wheels, adjustable hangers, adjustable guide. Brass-tone steel parts. *Also available for 5¼" jambs and without wood. Contact factory.*

** 2 Wheel Hangers for 75 lbs. per door.*

2200 Bypass Track and Hardware for ¾" or 1⅜" Doors to 50 lbs.

ORDERING DATA



2200

Item No.	Opening Size	Lbs./Case
2200482D	48"-2 Door	10/5
2200602D	60"-2 Door	12/5
2200722D	72"-2 Door	13/5
2200964D	96"-4 Door	19/5

Bulk 25/Carton

2200 2 Door Components


Qty	Part #
1	2200 Track
2	2216 Hangers
2	2238 Hangers
1	2135 Guide
2	15US15 Pulls

2200 4 Door Components

Qty	Part #
1	2200 Track
4	2216 Hangers
4	2238 Hangers
2	2135 Guides
4	15US15 Pulls
1	2255 Stop Kit




2200 Hardware Set



Aluminum bypass track with convex track rails for quiet, smooth operation. One wheel (7/8" dia.) hangers with three point locking provide one point contact between wheel and track. One inch high woodtone adjustable door guide. Brass-tone steel parts.

1166 Bypass Track and Hardware for ¾" or 1⅜" Doors to 50 lbs.

ORDERING DATA



1166

Item No.	Opening Size	Lbs./Case
1166G482	48"-2 Door	13/5
1166G602	60"-2 Door	16/5
1166G722	72"-2 Door	18/5
1166G964	96"-4 Door	26/5

Bulk 25/Carton

1166 2 Door Components

Qty	Part #
1	1166 Track
2	2216 Hangers
2	2238 Hangers
1	2135 Guide
2	15US15 Pulls

1166 4 Door Components

Qty	Part #
1	1166 Track
4	2216 Hangers
4	2238 Hangers
2	2135 Guides
4	15US15 Pulls
1	2255 Stop Kit

An economical prefinished gold colored steel bypass track with convex track rails, which provide one point contact between wheel and track. One wheel (7/8" dia.) hangers with three point locking. One inch high woodtone adjustable door guide. Brass-tone steel parts.




1166 Hardware Set




1138 Bypass Track and Hardware For 1⅜" Doors to 50 lbs.

ORDERING DATA



1138 2 Dr Components


Qty	Part #
1	1138 Track
4	2238 Hangers
1	2135 Guide
2	15US3 Pulls



1138 4 Dr Components

Qty	Part #
1	1138 Track
8	2238 Hangers
2	2135 Guide
4	15US3 Pulls
1	2255 Stop Kit

1138 Hardware Set



1138


An economical prefinished gold colored steel bypass track with convex track rails, which provide one point contact between wheel and track. One wheel (7/8" dia.) hangers with three point locking. One inch high woodtone adjustable door guide. Brass-tone steel parts.

Item No.	Opening Size	Lbs./Case
1138482D	48"-2 Door	13/5
1138602D	60"-2 Door	16/5
1138722D	72"-2 Door	19/5
1138964D	96"-4 Door	27/5

Bulk 20/Carton


113F Bypass Fascia Track and Hardware For 1⅜" Doors to 50 lbs.

ORDERING DATA



113F 2 Dr Components


Qty	Part #
1	1138 Track
1	126F Fascia
4	2238 Hangers
1	2135 Guide
2	15US3 Pulls



113F 4 Dr Components

Qty	Part #
1	1138 Track
1	126F Fascia
8	2238 Hangers
2	2135 Guide
4	15US3 Pulls
1	2255 Stop Kit

113F Hardware Set



113F

An economical prefinished gold colored steel bypass track with a "Snap-on Fascia". Convex track rails, which provide one point contact between wheel and track. One wheel (7/8" dia.) hangers with three point locking. One inch high woodtone adjustable door guide. Brass-tone steel parts.

Item No.	Opening Size	Lbs./Case
113FG481	48"-2 Door	19/5
113FG601	60"-2 Door	23/5
113FG721	72"-2 Door	27/5
113FG961	96"-4 Door	27/5

Bulk 20/Carton

Multiple-Door Sliding Door Hardware
200MD, 100MD, 111MD


Shown below are typical 3 track layouts for 1-3/8" doors. Other door thicknesses may be used. For thicker doors, the tracks must be spaced further apart and a wider header may be necessary. Also, more than 3 tracks may be used by extending the header and using other track combinations as required.









200MD Series-300 lbs. Doors




100MD Series-200 lbs. Doors



111MD Series-150 lbs. Doors



1050 Bottom Track- Included w/ all Sets



All nosing and hardware filler supplied by others. Surface mount shown/ Bottom channel may be recessed into floor. Spacing and dimensions will vary with other door thicknesses.


Tracks can be cut down for smaller openings.

6', 8', and 9' Sets Utilizing 200, 100, and 111 Hardware Sets.


200MD Series Hardware Sets- 300lbs Doors (min 1-1/8" thick)

Set Image	Part #	Track Length	Max Door Width (ea)	Max Door Weight (ea)
	**200M0723**	70" 1829mm	24"x 3 610mm x 3	300 lbs. 136 kgs.
	200M0963	94" 2438mm	32"x 3 813mm x 3	300 lbs. 136 kgs.
	200M1083	106" 2692mm	36"x 3 914mm x 3	300 lbs. 136 kgs.
	200M1443	142" 3657mm	48"x 3 1219mm x 3	300 lbs. 136 kgs.
	Set consists of 3-200 tracks, 3-1050 bottom tracks, 6-2020 hangers, 6-1705 guides, and 2-2055 track stops.			

100MD Series Hardware Sets- 200lbs Doors (min 1" thick)


Set Image	Part #	Track Length	Max Door Width (ea)	Max Door Weight (ea)
	**100M0723**	70" 1829mm	24"x 3 610mm x 3	200 lbs. 91 kg.
	100M0963	94" 2438mm	32"x 3 813mm x 3	200 lbs. 91 kg
	100M1083	106" 2692mm	36"x 3 914mm x 3	200 lbs. 91 kg
	100M1443	142" 3657mm	36"x 3 1219mm x 3	200 lbs. 91 kg
	Set consists of 3-100 tracks, 3-1050 bottom tracks, 6-1125 hangers, 6-1705 guides, and 2-1155 track stops.			

111MD Series Hardware Sets- 150lbs Doors (min 3/4" thick)

Set Image	Part #	Track Length	Max Door Width (ea)	Max Door Weight (ea)
	**111M0723**	70" 1829mm	24"x 3 610mm x 3	150 lbs. 68 kgs.
	111M0963	94" 2438mm	32"x 3 813mm x 3	150 lbs. 68 kgs.
	111M1083	106" 2692mm	36"x 3 914mm x 3	150 lbs. 68 kgs.
	111M1443	142" 3657mm	48"x 3 1219mm x 3	150 lbs. 68 kgs.
	Set consists of 3-111 tracks, 3-1050 bottom tracks, 6-1025 hangers, 6-1705 guides, and 2-1155 track stops.			



2054 PLBG
MULTI PULL CATCH




2054PLBG Multi Pull Catch

PANEL DISPLAYS

USING JOHNSON 100 SERIES TRACK AND HARDWARE



Item No.	Length	Pkg/Qty	Wt/Ctn
100721DD	72"	25/Ctn	75 lbs.



NO MORE WRESTLING WITH LOOSE PANELS OR DOORS!

Display your doors with easy-to-construct sliding "show walls". These desplays take up less floor space than the old methods of stacking or leaning doors.

The **Door Panel Display** uses the same track and hanger system as the Johnson 1500 Pocket Door Frame and can handle 3'0" doors up to 200 lbs..

Qty	Part #
1	100-0072
2	1125 Hangers
2	10 Guide
1	1712 Wrench
2	1155 Stops



TABLE LEGS AND PANTRY SLIDE

8800 Folding Table Leg



Item No.	Length	Pkg/Qty	Wt/Ctn
88265-WT	26½"	20/Ctn	28 lbs.
88275-WT	27½"	20/Ctn	28 lbs.
88285-WT	28½"	20/Ctn	29 lbs.
88295-WT	29½"	20/Ctn	29 lbs.
88305-WT	30½"	20/Ctn	30 lbs.

88ADJ-WT Adjustable Table Leg

Adjustable in 1" intervals



Item No.	Length	Pkg/Qty	Wt/Ctn
88ADJ-WT	19½"-31½"	20/Ctn	29 lbs.

88TEL-WT Telescoping Table Leg

Adjustable in ½" intervals



Item No.	Length	Pkg/Qty	Wt/Ctn
88TEL-WT	26"-31½"	20/Ctn	29 lbs.


7800 Folding Gaucho Leg



Item No.	Length	Pkg/Qty	Wt/Ctn
78245-WT	24½"	20/Ctn	23 lbs.
78255-WT	25½"	20/Ctn	24 lbs.
78265-WT	26½"	20/Ctn	25 lbs.
78275-WT	27½"	20/Ctn	26 lbs.
78285-WT	28½"	20/Ctn	26 lbs.
78295-WT	29½"	20/Ctn	27 lbs.
78305-WT	30½"	20/Ctn	28 lbs.

7700 Fixed Length Gaucho Leg


Custom lengths from 6" to 24" at ½" intervals



Item No.	Length	Pkg/Qty
7700	6"-12"	40/Ctn
7700	12½"-18"	20/Ctn
7700	18½"	20/Ctn


955022PS Pantry Slide

Standard length 22", opens to 38"
Can be ordered to custom lengths




Item No.	Length	Pkg/Qty	Wt/Ctn
955022PS	22"-38"	10/Ctn	15 lbs.

100 Series
Aluminum
25/case




36″	48″	60″	72″	96″	106″	120″	144″	192″

111 Series
Aluminum
25/case




36″	48″	60″	72″	96″	106″	120″	144″	192″

118F Series
Aluminum
10/case




48″	60″	72″	96″	106″	120″	144″	192″

134F Series
Aluminum
10/case




48″	60″	72″	96″	106″	120″	144″	192″

138F Series
Aluminum
10/case



48″	60″	72″	96″	106″	120″	144″	192″


170A Series
Aluminum
20/case



24″	30″	32″	36″	48″	60″


72″	96″	106″	120″	144″	192″

200 Series
Aluminum
5/case




48″	60″	72″	96″	106″	120″	144″	192″

1050 Bot. Chan.
Aluminum
6/case




72″	96″	106″	144″

1138 Series
Steel
20/case




47″	59″	71″	94″	106″	120″	144″	192″

1166 Series
Steel
25/case




47″	59″	71″	94″	106″	120″	144″	192″

126F Fascia
Steel
20/case
Goldtone
Woodtone




48″	60″	72″	96″	106″	120″	144″	192″

1700 Series
Steel
25/case
Brown
White




24″	30″	32″	36″	48″	60″	72″	96″

1825/1838
Steel
25/case
Brown
White




24″	30″	32″	36″	48″	60″	72″	96″

1855 Threshold
Steel
25/case
Woodtone
White




24″	30″	32″	36″	48″	60″	72″

200 Series
Aluminum
25/case




47″	59″	71″	94″	106″	120″	144″	192″

2200F Series
Aluminum
25/case



48″	60″	72″	96″	106″	120″	144″	192″


2204F Series
Aluminum
25/case



48″	60″	72″	96″	106″	120″	144″	192″


2222 Series
Aluminum

with 4⅜″ wood 10/case
without wood 25/case




	48″	60″	72″	96″	106″	120″	144″	192″
w/wd								
wowd								

2610F Series
Aluminum
10/case




48″	60″	72″	96″	106″	120″	144″	192″

2610FB Series
Aluminum
Ant. Bronze
10/case




48″	60″	72″	96″	106″	120″	144″	192″

2800 Series
Aluminum
25/case




48″	60″	72″	96″	106″	120″	144″	192″

2800F Series
Aluminum
20/case



48″	60″	72″	96″	106″	120″	144″	192″

2850 Series
Steel
25/case
Goldtone



48″	60″	72″	96″	106″	120″	144″	192″

Drawings not to scale







G1738 COMBINATION SLIDING-FOLDING DOOR ASSORTMENT 5-1700363H, 10-1700486H, 5-1700606H, 5-1700726H, 10-1138482D, 5-1138602D, 5-1138722D	G1738
G2200F SLIDING DOOR ASSORTMENT 20-2200F481, 10-2200F601, 10-2200F721	G2200F
G9000 CLOSET ROD AND SHELF SUPPORT ASSORTMENT 10-9018-30P, 20-9030-48P, 10-9048-72P, 5-9072-96P, 5-9072120P, 20-9003WHEN, 20-9005WHEN, 20-9030PPK3	G9000
G40 4' MODULAR COMB. SLIDING-FOLDING-POCKET-REPLACEMENT ASSORTMENT *(CONSISTS OF THE FOLLOWING G41 AND G42 2' MODULAR SETS)*	G40 G40MINI
G41 2' COMBINATION SLIDING-FOLDING-POCKET ASSORTMENT 5-1166G482, 5-1166G602, 5-1166G722, 5-100721DR, 2-153068PF 5-1700363H, 5-1700486H, 5-1700606H, 5-1700726H	G41 G41MINI
G42 2' ACCESSORY ASSORTMENT 5-1601218P, 5-2216PPK2, 5-2238PPK2, 5-2136PPK1, 5-1836PPK1, 10-2376PPK2, 10-2378PPK2, 10-2336PPK2, 10-2338PPK2, 10-2135PPK1,10-1832PPK3, 10-1817PPK3, 10-1808PPK1, 5-1555PPK3, 5-15213PK1,10-150-3PK1, 5-1500PPK3, 5-1700PPK3, 10-1703PPK2, 10-1805PPK2,10-15-3PPK3, 10-33--PPK2, 10-2155PPK1 , 5-1575PPK3, 10-2312PPK1, 10-1833PPK3	G42 G42MINI
G44 (SAME AS G40 EXCEPT W/2200 ALUMINUM TRACK)	G44 G44MINI
G45 (SAME AS G41 EXCEPT W/2200 ALUMINUM TRACK)	G45 G45MINI
G60 6' MODULAR COMB. SLIDING-FOLDING-POCKET-REPLACEMENT ASSORTMENT *(CONSISTS OF THE FOLLOWING G61, G62, AND G63 2' MODULAR SETS)*	G60 G60MINI
G61 2' COMBINATION SLIDING-FOLDING ASSORTMENT 10-1166G482, 5-1166G602, 5-1166G722, 5-100721DR, 5-1700363H, 10-1700486H, 5-1700606H, 5-1700726H	G61 G61MINI
G62 2' ACCESSORY ASSORTMENT 5-1601218P, 5-2216PPK2, 5-2238PPK2, 5-2136PPK1, 5-1836PPK1, 10-2376PPK2, 10-2378PPK2, 10-2336PPK2, 10-2338PPK2, 10-2135PPK1,10-1832PPK3, 10-1817PPK3, 10-1808PPK1, 5-1700PPK3, 10-1703PPK2, 10-1805PPK2, 10-15-3PPK3, 10-33--PPK2, 10-2155PPK1 , 10-2312PPK1, 10-1833PPK3 10-38-3PPK1, 10-35-3PPK2, 10-30-3PPK2, 10-40-3PPK2, 36--PPK2, 10-1823PPK2	G62 G62MINI
G63 2' POCKET DOOR FRAME AND ACCESSORY ASSORTMENT 4-153068PF, 3-15113068, 10-1555PPK3, 5-15213PK1, 5-21-3PPK2, 10-150-3PK1, 5-1500PPK3, 10-1575PPK3,	G63 G63MINI
G64 (SAME AS G60 EXCEPT W/2200 ALUMINUM TRACK)	G64
G65 (SAME AS G61 EXCEPT W/2200 ALUMINUM TRACK)	G65
MINI1601 FULL ACCESS FOLDING DOOR HARDWARE 10-1601218P SETS AND WORKING DISPLAY MODEL	MINI1601
W10 COMBINATION UNIVERSAL SLIDING/FOLDING REPL PARTS 5-2216PPK2, 5-2238PPK2, 5-2136PPK1, 5-1836PPK1, 10-2376PPK2, 10-2378PPK2, 10-2336PPK2, 10-2338PPK2, 10-2135PPK1, 10-1832PPK3 10-1817PPK3, 10-1808PPK1, 10-2312PPK1, 10-1833PPK3	W10 W10MINI
W11 UNIVERSAL SLIDING DOOR REPLACEMENT PARTS 5-2216PPK2, 5-2238PPK2, 5-2136PPK1, 5-2156PPK3, 5-2155PPK1, 5-2312PPK1 5-15-3PPK3, 10-2376PPK1, 10-2378PPK1, 10-2336PPK1, 10-2338PPK1 10-2135PPK1	W11
W12 UNIVERSAL FOLDING DOOR REPLACEMENT PARTS 5-33--PPK2, 5-1836PPK1, 10-1832PPK3, 10-1817PPK3, 10-1808PPK1, 10-1823PPK2, 10-1703PPK2, 10-1805PPK2, 10-1833PPK3	W12











Mini Assortments include two of each item


BUBBLE PACKED PARTS AND ACCESSORIES


KNOBS-PULLS	PART #	Lbs./CT	LIST
15 *Pull* — *3/4" Round Brass Plated Steel 4 per Pack* 	15-3PPK3	.6/10	4 per Pack
20 *Pull* — *1¾" Round Woodtone Styrene* 	20--PLB2	1/10	2 per Pack
21 *Dummy Pull* — *2⅛" Plated Steel US3/US5/US15*  *Bright Brass/Ant. Brass/Sat. Nickel*	21-3PPK2 21-5PPK2 21-15PK2	2/10	2 per Pack
30 *Pull* — *2⅛" Plated Steel US3/US5/US15*  *Bright Brass/Ant. Brass/Sat. Nickel*	30-3PPK2 30-5PPK2 30-15PK2	1.7/10	2 per Pack
33 *Knob* — *1¾" Dia. Woodtone Styrene* 	33--PPK2	1.1/10	2 per Pack



KNOBS-PULLS	PART #	LBS/CT	LIST
35 *Pull* — *1⅜" x 3" Plated Steel US3/US5/US15*  *Bright Brass/Ant. Brass/Sat. Nickel*	35-3PPK2 35-5PPK2 35-15PK2	1.4/10	2 per Pack
36 *Knob* — *1¾" Dia. Wood(Birch)* 	36--PPK2	1.3/10	2 per Pack
38 *Knob* — *1½" Dia. Bright Brass* 	38-3PPK1	1.5/10	1 per Pack
40 *Pull* — *1⅜" x 3" Plated Steel US3/US5/US15*  *Bright Brass/Ant. Brass/Sat. Nickel*	40-3PPK2 40-5PPK2 40-15PK2	1.4/10	2 per Pack
150 *Edge Pull* — *Die Cast Bright Brass Finish*  *Satin Nickel Avail. in Bulk Only*	150-3PK1	1.3/10	1 per Pack



BUBBLE PACKED PARTS AND ACCESSORIES



107PIV-S *Pivot Set* 	5.5/10 1 Set/Pk.	**1575PPK3** *1¾" Adapt Kit* 	3/10 1 Set/Pk	**1832PPK3** *Univ Pivot* 	1.3/10 1 Set/Pk.	**2226PPK2** *Hanger 1⅛" Offset* 	3.5/10 2 Ea./Pk.
109PIV-S *Pivot Set* 	9.1/10 1 Set/Pk.	**1606PLB2** *Hinge Brown* 	3.8/10 2 Ea./Pk.	**1833PPK3** *Univ Snubber* 	.8/10 1 Set/Pk.	**2228PPK2** *Hanger ⅜" Offset* 	3.7/10 2 Ea./Pk.
118PIV-S *Pivot Set* 	2.2/10 1 Set/Pk.	**1700PPK3** *Bifold Hdwe* 	4.8/10 1 Set/Pk.	**1836PPK1** *Carpet Riser (FD)* 	1.4/10 1 Ea./Pk.	**2238PPK2** *Hanger ⅜" Offset* 	2.6/10 2 Ea./Pk.
119PIV-S *Pivot Set* 	4/10 1 Set/Pk.	**1703PPK2** *Hinge* 	3.2/10 2 Ea./Pk.	**1875PLBG** *Pivots* 	1.4/10 1 Set/Pk.	**2255PLB3** *4 Dr. Stop Kit* 	2/10 1 Set/Pk.
209PIV-S *Pivot Set* 	1.6/1 1 Set/Pk.	**1706PLB3** *Pivots* 	1.9/10 1 Set/Pk.	**2006PLBG** *Wall Mount Bracket* 	2.8/10 1 Ea./Pk	**2312PPK1** *Univ. Hngr. ⅞" Whl.* 	3/10 1 Ea/Pk.
1120PPK1 *Hanger 1" Wheel* 	7/10 1 Ea./Pk.	**1743PLB2** *Hinge* 	1.3/10 2 Ea./Pk.	**2050PLBG** *Conv. Door Kit* 	10/10 1 Set/Pk	**2336PPK2** *Univ. V 1⅛" Offset ¾" Wheel* 	2/10 2 Ea./Pk.
1125PPK1 *Ball Brg. 1" Wheel* 	7/10 1 Ea./Pk.	**1805PPK2** *Hinge* 	2.4/10 2 Ea./Pk.	**2135PPK1** *Guide* 	1.3/10 1 Ea./Pk	**2338PPK2** *Univ. V ⅜" Offset ¾" Wheel* 	2/10 2 Ea./Pk.
1500PPK3 *1500 Hdwe. Set* 	6.0/10 1 Set/Pk.	**1806PPK3** *Pivot* 	1.5/10 1 Set/Pk.	**2136PPK1** *Carpet Riser (SD)* 	1.8/10 1 Ea./Pk	**2376PPK2** *Univ. V 1⅛" Offset ⅞" Wheel* 	2/10 2 Ea./Pk.
1505PPK3 *Guide/ Bumper* 	.7/10 1 Set/Pk.	**1808PPK1** *Bifold Aligner* 	1.2/10 1 Set/Pk.	**2155PPK1** *Bumper* 	.8/10 1 Ea./Pk	**2378PPK2** *Univ. V ⅜" Offset ⅞" Wheel* 	2.2/10 2 Ea./Pk.
1506PLB2 *Hinges* 	2.7/10 2 Ea./Pk.	**1817PPK3** *Bottom Pivot* 	2/10 1 Set/Pk.	**2156PPK3** *Guide/ Riser Set* 	3/10 1 Set/Pk	**2511PPK3** *Hdwe. Set* 	6/10 1 Set/Pk.
1555PPK3 *Converge Door Kit* 	5.5/10 1 Set/Pk.	**1823PPK2** *Hinge* 	2.3/10 2 Ea./Pk.	**2216PPK2** *Hanger 1⅛" Offset* 	2.5/10 2 Ea./Pk	**2802PLB2** *Hangers* 	3.7/10 2 Ea./Pk.
		1825PLBG *Bifold Hdwe* 	3.6/10 1 Set/Pk.				




Bulk Part #	Pkg Lbs.
10 *Guide* 	100 1.7
11 *Guide* 	100 1.5
12 *Guide* 	25 1.1
13 *Plug* 	100 1.0
14US3 *2⅛" Pull Brt. Brass* 	100 2.7
15US3 *¾" Pull Brt. Brass* 	100 0.7
15US15 *¾" Pull Sat. Nickel* 	100 0.7
20 *1¾" Pull Br. Plastic.* 	100 1.5
21US3 *2⅛" Pull Brt. Brass* 	25 1.4
21US5 *2⅛" Pull Ant. Brass* 	25 1.4
21US15 *2⅛" Pull Sat. Nickel* 	25 1.4
30US3 *2⅛" Pull Brt. Brass* 	100 5.4
30US5 *2⅛" Pull Ant. Brass* 	100 5.4
30US15 *2⅛" Pull Sat. Nickel* 	100 5.4
32 *Knob Acrylic* 	25 1.3



Bulk Part #	Pkg Lbs.
33 *Knob Brown* 	100 3.0
35US3 *Pull Brt. Brass* 	50 2.1
35US5 *Pull Ant. Brass* 	50 2.1
35US15 *Pull Sat. Nickel* 	50 2.1
36 *Knob Wood* 	100 3.6
37 *Knob White* 	100 3.0
38 *Knob Brt. Brass* 	100 4.7
40US3 *Pull Brt. Brass* 	50 2.2
40US5 *Pull Ant. Brass* 	50 2.2
40US15 *Pull Sat. Nickel* 	50 2.2
101 *Univ. Guide* 	50 2.3
150US3 *Edge Pull Brt. Brass* 	25 2.0
150US15 *Edge Pull Sat. Nic.* 	25 2.0
1001 *Top Pivot* 	25 5.0
1002 *1⅛" Door Top Pivot* 	25 7.5








Bulk Part #	Pkg Lbs.
1003 *1⅜" Door Top Pivot* 	25 7.5
1004 *1¾" Door Top Pivot* 	25 7.5
1010 *Pivot Lock* 	25 8.0
1011 *Floor Bracket* 	25 9.0
1020 *Hanger ¾" Wheel* 	50 6.0
1021 *(1020/1025 Door Plate)* 	100 4.5
1023 *1020 Saddle Brckt. For 3/4" Doors* 	50 3.3
1025 *Ball-Bearing ¾" Wheel* 	50 7.0
1120 *Hanger 1" Wheel* 	50 12
1121 *(1120/1125 Door Plate)* 	100 8.0
1122 *(1⅛" door Door Plate)* 	25 7.2
1123 *(1⅜" door Door Plate)* 	25 7.2
1124 *(1¾" door Door Plate)* 	25 7.2
1125 *Ball-Bearing 1" Wheel* 	50 16
1155 *Track Stop* 	100 3.8






Bulk Part #	Pkg Lbs.
1461 *Bottom Piv Socket* 	50 2.5
1506 *Hinge* 	50 5.4
1513 *Bumper* 	100 1.0
1550 *Guide* 	100 2.5
1602 *White Drywall Hinge* 	50 10
1605 *Brown Drywall Hinge* 	50 10
1603 *White Hinge* 	50 8.2
1606 *Brown Hinge* 	50 8.2
1701 *Top Pivot* 	100 5.4
1702 *Top Guide* *(obsolete)* 	100 5.5
1703 *Hinge* 	100 14
1704 *¾" Floor Bracket* 	25 4.2
1705 *Guide* 	100 5.5
1706 *Bot. Pivot Long* 	100 5.3
1707 *Bottom Pivot* 	100 4.8



Bulk Part #	Pkg Lbs.
1710 *Pivot Lock* 	500 2.7
1711 *Jamb Bracket* 	50 8.2
1712 *Adjusting Wrench* 	100 2.5
1713 *Snubber* 	100 2.6
1714 *1¼" Floor Bracket* 	25 5.5
1721 *Top Pivot ¾" Doors* 	25 3.1
1722 *(obsolete)* *Top Guide ¾" Doors* 	25 3.0
1723 *Bot. Pivot ¾" Doors* 	25 2.9
1724 *Top Pivot 1⅛" Doors* 	25 3.2
1726 *(obsolete)* *Top Guide 1⅛" Doors* 	25 3.2
1727 *Bot. Pivot 1⅛" Doors* 	25 3.0
1728 *Top Pivot 1⅜" Doors* 	25 3.3
1729 *(obsolete)* *Top Guide 1⅜" Doors* 	25 3.3
1730 *Bot. Pivot 1⅜" Doors* 	25 3.2
1731 *Bot. Guide ¾" Doors* 	25 3.2


Bulk Part #	Pkg Lbs.
1732 *Bot. Guide 1⅛" Doors* 	25 3.2
1733 *Bot. Guide 1⅜" Doors* 	25 3.4
1741 *Shutter Bracket* 	25 2.6
1742 *Shutter Hanger* 	25 1.1
1743 *Shutter. Hinge* 	100 4.6
1744 *¾" High Dbl. Floor Brckt* 	25 8.2
1754 *1¼" High Dbl. Floor Brckt* 	25 11
1771 *Top Pivot ¾" Sidemount* 	25 4.3
1772 *(obsolete)* *Top Guide ¾" Sidemount* 	25 4.3
1773 *Bot. Pivot ¾" Sidemount* 	25 4.2
1774 *Bot. Guide ¾" Sidemount* 	25 4.6
1775 *Doorkeeper* 	25 1.4
1801 *7/16" dia Top Pivot/Guide.* 	100 3.6
1804 *Floor Bracket* 	25 2.0
1805 *Hinge* 	100 8.5

Bulk Part #	Pkg Lbs.
1807 *7/16" Dia Bot. Pivot.* 	100 4.4
1808 *4-Door Aligner* 	100 7.5
1810 *Pivot Socket* 	50 2.8
1811 *Jamb Bracket* 	50 5.0
1812 *Snubber 2 Door* 	100 1.2
1814 *Snubber 4 Door* 	100 1.7
1815 *Hinge* 	100 8.0
1823 *Hinge* 	100 9.3
1831 *3/8" dia Top Pivot/Guide* 	100 3.5
1836 *Carpet Riser* 	25 2.3
1837 *3/8" Dia Bot. Pivot* 	100 4.3
1861 *Jamb Bracket* 	50 2.5
1922 *Top Guide 3/4" Doors* 	25 3.1
1926 *Top Guide 1 1/8" Doors* 	25 3.5
1929 *Top Guide 1 3/8" Doors* 	25 3.5

Bulk Part #	Pkg Lbs.
1972 *Top Guide 3/4" Sidemount* 	25 4.4
2001 *Top Pivot Bifold* 	25 6.0
2002 *Bifold Guide* 	25 23
2003 *Ball-Bearing Hinge (pair)* 	10 pr. 8.5
2007 *Bot. Piv Bifold.* 	25 10
2010 *Pivot Lock* 	25 10
2011 *Floor Bracket* 	25 9.0
2020 *Hanger Sliding Door* 	25 29
2031 *Heavy Duty Single Guide* 	25 6.0
2034 *Guide 1 3/4" Doors* 	25 12
2035 *Guide 1 3/8" Doors* 	25 12
2037 *Guide 1 3/4" Doors* 	50 13
2038 *Guide 1 3/8" Doors* 	50 13
2054PLBG *Mult-Door Pull Catch* 	10 1.5
2055 *Track Stop* 	25 9.0

Bulk Part #	Pkg Lbs.
2118 *Nylon Guide 1 1/8" Doors* 	25 2.2
2134 *Guide 1 1/8" or 1 3/4" Doors* 	25 2.4
2135 *Guide 3/4" or 1 3/8" Doors* 	100 7.5
2136 *Carpet Riser (Sliding Doors)* 	100 4.8
2138 *Nylon Guide 1 3/8" Doors* 	100 1.6
2155 *Door Stop* 	50 1.6
2165 *Track Stop* 	100 4.4
2175 *Guide 3/4" Doors* 	25 1.8
2206 *Univ. Hanger. 1/16" Offset* 	100 7.1
2208 *Univ. Hanger. 3/8" Offset* 	100 7.1
2216 *Hanger. 1/16" Offset* 	100 9.7
2226 *Hanger. 1/16" Offset* 	50 7.4
2228 *Hanger. 3/8" Offset* 	50 8.0
2238 *Hanger. 3/8" Offset* 	100 11
2312 *Univ. Hanger 7/8" Whl-V Trk* 	50 11

Bulk Part #	Pkg Lbs.
2551 *Pocket Guide 1⅜" Doors* 	50 1.2
2680PLBG *End Caps* 	50 2.3
2682PLBG *End Caps* 	50 2.3
2802 *Hanger ⅞" Wheel* 	50 7.6

Bulk Part #	Pkg Lbs.
2812 *Hanger ⅞" Wheel* 	50 12
2815 *Ball-Bearing ⅞" Wheel* 	50 13
8050 *Swivel Bracket* 	50 22
9027 *1⅜" Rod Support* 	50 8.5

Bulk Part #	Pkg Lbs.
9028 *1" Rod Support* 	50 8.2
9029 *End Bracket* 	50 9.2
9030PLBG *Pole Caps* 	100 PR 5.8

Johnson HARDWARE®

Engineered Excellence

Johnson Hardware
2100 Sterling Ave.
Elkhart, IN 46516
PH: 800-837-5664
Fax: 800-837-4697